

NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [20/01/2026]
Monte Baracca, Contrada Giarrita (ITA070014 - SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status
6.Site management 7.Map of the site

1. Site identification

1.1 Site type

B

1.2 Site code

ITA070014

1.3 Site name

Monte Baracca, Contrada Giarrita

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation

Regione Siciliana Ass.to Territorio e Ambiente
Servizio 4°

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address

Via Ugo La Malfa 169 - 90146 Palermo

1.4.4 Functional mailbox email address

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)

1.5.3 Date site first proposed as SCI

1995-09

Date confirmed as SCI

populated by EEA on behalf of the European Commission

1.5.4 Date site designated as SAC

2017-03

1.5.5 SAC designation act (URI)

<https://www.gazzettaufficiale.it/eli/gu/2017/04/21/93/sg/pdf>

1.5.5 SAC designation act (free text)

DM 31/03/2017 - G.U. 93 del 21-4-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude

calculated by the EEA after release in
Reportnet 3

Latitude

calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha)

1716

2.1.2 Reason for area difference with spatial dataset (if any)

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITG1	SICILIA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Mediterranean	100	Mediterranean

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1 Code	Name	3.1.2 Priority form	3.1.3 Not present	3.1.4 Cover [ha]	3.1.5 Caves [number]	3.1.6 Method cover	3.1.7 Last data collection
4090	Endemic oro-Mediterranean heaths with gorse	No		5.17		veryLimited	
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachyp odietea	No		1		veryLimited	
8130	Western Mediterranean and thermophilous scree	No		0.1		limited	
8320	Fields of lava and natural excavations	No		660.95		limited	
91AA	Eastern white oak woods	No		7.79		veryLimited	
91M0	Pannonian-Balkan turkey oak - sessile oak forests	No		204.83		limited	
9210	Apennine beech forests with Taxus and Ilex	No		1.5		veryLimited	
9260	Castanea sativa woods	No		141.9		limited	
92A0	Salix alba and Populus alba galleries	No		0.34		veryLimited	
9340	Quercus ilex and Quercus rotundifolia forests	No		0.74		veryLimited	
9530	(Sub-) Mediterranean pine forests with endemic black pines	No		352.59		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Cover: Shows the size of habitat type as decimal values.

Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.

Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available

Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
4090	Endemic oro-Mediterranean heaths with gorse	No	non-significant									202412
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	No	non-significant									202412
8130	Western Mediterranean and thermophilous scree	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B					B	202512

8320	Fields of lava and natural excavations	No	significant	B	B	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
91AA	Eastern white oak woods	No	non-significant				202412
91M0	Pannonian-Balkan turkey oak - sessile oak forests	No	significant	B	C	B	202412
					Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17		
9210	Apennine beech forests with Taxus and Ilex	No	non-significant				202412

9260	Castanea sativa woods	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	B	B	202412
92A0	Salix alba and Populus alba galleries	No	non-significant					202412
9340	Quercus ilex and Quercus rotundifolia forests	No	non-significant					202412
9530	(Sub-) Mediterranean pine forests with endemic black pines	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi de ll'articolo 17	A	A	202512

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.

Significance: Indicates if the occurrence is significant or not.

Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant

Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).

Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.

Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.

Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.

Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species		Population in the site									
3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Sensitive: Species indicated with “true” are classified as sensitive.

Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).

Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.

Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1	3.2.2	3.2.3	3.2.6	3.2.11	3.2.12	3.2.13	3.2.14	3.2.15	3.2.15.2	3.2.15.3	3.2.16	3.2.17	3.2.18	3.2.19	3.2.20
Group	Code	Scientific Name	Type	Significance	SPA classification	Population	Population further explanation	Conservation	Conservation occupied % area (optional)	Conservation occupied % class	Conservation objectives	Objetives further explanation	Isolation	Global	Update date

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Significance: Indicates if the occurrence is significant or not.

SPA classification: Indicate if the bird species met the ornithological criteria used to justify SPA classification.

Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.

Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).

Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.

Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of area of distribution, C = population not-isolated within extended distribution range.

Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.

Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1	3.3.2	3.3.3	3.3.4	3.3.5	3.3.6.1	3.3.6.1	3.3.6.2	3.3.7
Group	Code	Scientific name	Sensitive	Not present	Size min	Size max	Population unit	Abundance
A		Bufo bufo spinosus		no				V
B	A086	Accipiter nisus		no				V
B	A237	Dendrocopos major		no				V
B	A378	Emberiza cia		no				V
B	A246	Lullula arborea		no				C

B	A473	Periparus ater	no	V
B	A315	Phylloscopus collybita	no	V
I		Achlya flavicornis	no	P
I		Adarrus messinicus	no	R
I		Alastor atropos	no	R
I		Ancistrocerus longispinosus longispinosus	no	C
I		Ancistrocerus scoticus scoticus	no	R
I		Aneugmenus padi	no	C
I		Anthocaris damone	no	P
I		Cardiophorus collaris	no	R
I		Cardiophorus eleonora	no	R
I		Cephaledo meridiana	no	R
I		Clostera curtula	no	R
I		Coscinia libyssa	no	P
I		Cymathophorima diluta	no	C
I		Dendrolimus pini	no	C
I		Emphytus laticinctus	no	R
I		Ergates faber opifex	no	R
I		Eumenes coarctatus maroccanus	no	C
I		Euplectus corsicus	no	R
I		Gabrius doderoi	no	P

I	Glyptobothrus messinai	no	R
I	Helorus striolatus	no	R
I	Laothoe populi	no	R
I	Leptochilus tarsatus	no	R
I	Macrophya montana	no	C
I	Meloe murinus	no	R
I	Microdynerus tauromenitanus	no	R
I	Notodonta dromedarius	no	R
I	Odynerus femoratus	no	R
I	Oncopsis subangulata	no	R
I	Pheosia tremula	no	R
I	Poecilimon laevissimus	no	R
I	Poecilocampa alpina canensis	no	R
I	Pyrgus malvoides	no	P
I	Smicromyrme ingauna	no	C
I	Sphecodes gibbus	no	C
I	Sphinx pinastri	no	C
I	Stenobothrus lineatus lineatus	no	R
I	Stenophylax bischofi	no	R
I	Stenus leonhardi	no	R
I	Strongylogaster multifasciata	no	R

I		Tyria jacobaeae	no	R
I		Zygaena charon sacula	no	R
I		Zygaena punctum	no	R
M	1344	Hystrix cristata	no	P
M		Lepus corsicanus	no	P
P		Adenocarpus bivonei	no	V
P		Anthemis aetnensis	no	R
P		Asplenium septentrionale	no	V
P		Astragalus siculus	no	R
P		Betula aetnensis	no	C
P		Carlina nebrodensis	no	R
P		Centaurea parlatoris	no	R
P		Cephalanthera longifolia	no	R
P		Cyclamen neapolitanum	no	R
P		Cyclamen repandum	no	R
P		Dactylorhiza romana	no	V
P		Epipactis meridionalis	no	V
P		Epipactis microfilla	no	V
P		Epipactis placentina	no	V
P		Erysimum aetnicum	no	V
P		Genista aetnensis	no	C
P		Hieracium crinitum	no	R

P		Pinus nigra ssp. calabrica	no	C
P		Populus tremula	no	C
P		Quercus cerris	no	C
P		Robertia taraxacoides	no	C
P	1849	Ruscus aculeatus	no	R
P		Senecio sicalus	no	V
P		Silene sicala	no	R
P		Vicia cassubica	no	R
R	1283	Coronella austriaca	no	C
R	5670	Hierophis viridiflavus	no	C
R	1263	Lacerta viridis	no	C
R	1250	Podarcis sicalus	no	C
R		Vipera hugyi	no	R
R	5369	Zamenis lineatus	no	R

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.

Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..

Sensitive: Species indicated with “true” are classified as sensitive.

Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.

Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.

Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A086	Accipiter nisus					X						X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Achlya flavicornis															X
	Adarrus messinicus										X					
	Adenocarpus bivonei							X								
	Alastor atropos															X
	Ancistrocerus longispinosus longispinosus															X
	Ancistrocerus scoticus scoticus															X
	Aneugmenus padi															X
	Anthemis aetnensis							X								
	Anthocaris damone							X								
	Asplenium septentrionale							X								
	Astragalus siculus										X					
	Betula aetnensis							X								
	Bufo bufo spinosus											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Cardiophorus collaris															X
	Cardiophorus eleonorae															X
	Carlina nebrodensis										X					
	Centaurea parlatoris										X					
	Cephalanthera longifolia											X				
	Cephaledon meridiana															X
	Clostera curtula															X
1283	Coronella austriaca		X													
	Coscinia libyssa															X
	Cyclamen neapolitanum											X				
	Cyclamen repandum											X				
	Cymathophorima diluta															X
	Dactylorhiza romana											X				

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
A237	Dendrocopos major					X						X				
	Dendrolimus pini															X
A378	Emberiza cia					X						X				
	Emphytus laticinctus															X
	Epipactis meridionalis										X					
	Epipactis microfilla											X				
	Epipactis placentina											X				
	Ergates faber opifex															X
	Erysimum aetnicum										X					
	Eumenes coarctatus maroccanus															X
	Euplectus corsicus															X
	Gabrius doderoi															X
	Genista aetnensis										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Glyptobothrus messinai										X					
	Helorus striolatus															X
	Hieracium crinitum															X
5670	Hierophis viridiflavus		X													
1344	Hystrix cristata		X													
1263	Lacerta viridis		X													
	Laothoe populi															X
	Leptochilus tarsatus															X
	Lepus corsicanus										X					
A246	Lullula arborea				X											
	Macrophya montana															X
	Meloe murinus															X
	Microdynerus tauromenitanus															X
	Notodonta dromedarius															X
	Odynerus femoratus															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Oncopsis subangulata															X
A473	Periparus ater					X						X				
	Pheosia tremula															X
A315	Phylloscopus collybita					X						X				
	Pinus nigra ssp. calabrica										X					
1250	Podarcis siculus		X													
	Poecilimon laevissimus															X
	Poecilocampa alpina canensis															X
	Populus tremula							X								
	Pyrgus malvoides															X
	Quercus cerris															X
	Robertia taraxacoides															X
1849	Ruscus aculeatus			X												
	Senecio siculus										X					
	Silene sicula															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Smicromyrme ingauna															X
	Sphecodes gibbus															X
	Sphinx pinastri															X
	Stenobothrus lineatus lineatus															X
	Stenophylax bischofi										X					
	Stenus leonhardi										X					
	Strongylogaster multifasciata															X
	Tyria jacobaeae															X
	Vicia cassubica															X
	Vipera hugyi											X				
5369	Zamenis lineatus		X													
	Zygaena charon sicula															X
	Zygaena punctum															X

Motivation: The motivation for listing additional species: H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

Il sito ricade nel versante nord-orientale dell'Etna ed è caratterizzato essenzialmente da antiche colate laviche solcate in alcuni punti da altre più recenti. Le quote si aggirano tra i 1000 e i 1900 m con un bioclina compreso tra il mesomediterraneo subumido superiore e il supramediterraneo umido superiore. Abbastanza diffusi e ben rappresentati sono i boschi orofili a *Betula aetnensis* sui substrati incoerenti, quelli a *Pinus nigra* ssp. *calabrica* sugli affioramenti rocciosi, mentre meno frequenti sono le faggete extrazonali e le formazioni a *Populus tremula*. A quote più basse si rinvenivano boschi decidui a *Quercus cerris* o a *Quercus congesta*. Sulle sciare vulcaniche e nei campi lavici si osservano aspetti di vegetazione pioniera a piccoli arbusti o boscaglie a *Genista aetnensis*.

4.2 Quality and importance of the site

Si tratta di un sito di notevole pregio paesaggistico e naturalistico per la presenza di vari tipi di formazioni boschive ben conservate e ricche floristicamente. Si rinvenivano inoltre diverse entità che nell'area regionale sono rare o ritenute di rilevante interesse fitogeografico, a loro volta menzionate nell'elenco riportato nella sezione 3.3 (D). La fauna presenta notevole interesse soprattutto per quanto riguarda gli invertebrati fra i quali molte specie si trovano al limite meridionale del loro areale di distribuzione, come ad esempio *Oncopsis subangulata* (J. Sahlberg, 1871), omottero a distribuzione eurosiberica, strettamente legato alla betulla per la sua alimentazione, presente in Sicilia soltanto in questa stazione.

4.3 Pressures on the site

4.3.1	4.3.2	4.3.3	4.3.4
Pressure code	Rank	Location	Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure is located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the pressures on the site

202412

4.4 Documentation

BELLA S., RUSSO P. & PARENZAN P., 1996 - Contributi alla conoscenza della Lepidotterofauna siciliana III. Bombici e Sfini - Phytophaga, 6: 85-109. BORSATO W. & TURRISI G.F., 2004 - Contributo alla conoscenza degli Eumenidae di Sicilia (Hymenoptera Vespoidea) - Bollettino del Museo Civico di Storia Naturale di Venezia, 55: 127-150. BRULLO S., GIUSSO DEL GALDO G. & GUARINO R., 2001 - The orophilous communities of the Pino-Juniperetea class in the Central and Eastern Mediterranean area - Feddes Repert, 112:261-308. BRULLO S., GUARINO R., MINISALE P., SIRACUSA G. & SPAMPINATO G., 1999 - Syntaxonomical analysis of the Beech forests from Sicily - Ann. Bot., Roma, 57:121-132. BRULLO S. & MARCENÒ C., 1985 - Contributo alla conoscenza della classe Quercetea ilicis in Sicilia - Not. Fitosoc., 19 (1): 183-229. BRULLO S., MINISALE P., SIGNORELLO P. & SPAMPINATO G., 1996 - Contributo alla conoscenza della vegetazione forestale della Sicilia - Coll. Phitosoc., 24:635-647. BRUNO S., 1970 - Anfibi e Rettili di Sicilia (Studi sulla Fauna Erpetologica Italiana.XI) - Atti dell'Accademia Gioenia di Scienze Naturali, Catania (serie VII), 2: 185-326. CERNIGLIARO A., DI BENEDETTO R. & LEOTTA R., 2003 - Nuovi dati sulla presenza di macrolepidotteri in Sicilia - Bollettino della Società entomologica italiana, 135 (3): 181-187. CERNIGLIARO A., DI BENEDETTO R. & LOMBARDO V., 1992 - Terzo contributo alla conoscenza dei Ropaloceri della Sicilia orientale (Lepidoptera Hesperidae) - Bollettino della Società Entomologica italiana, 123 (3): 239-244. LO VALVO F., 1998 - Status e conservazione dell'erpetofauna siciliana - Il Naturalista siciliano, Palermo, S. IV, 22 (1-2): 53-71. LO VALVO F. & LONGO A.M., 2001 - Anfibi e Rettili in Sicilia - WWF Sicilia, Palermo, 85 pp. LO VALVO M., MASSA B. & SARÀ M. (red.), 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio - Il Naturalista siciliano, Palermo, 17 (suppl.): 1-371. NOBILE V. & CAMPADELLI G., 1998 - Il genere *Sphecodes* Latreille, 1804 in Italia (Hymenoptera, Apoidea, Halictidae) - Bollettino dell'Istituto di Entomologia "G. Grandi", Università di Bologna, 52: 85-103. POLI MARCHESE & PATTI G., 2000 - Carta della vegetazione dell'Etna. Firenze. RUFFO S. & STOCH F. (eds.), 2005 - Checklist e distribuzione della fauna italiana - Memorie del Museo Civico di Storia Naturale di Verona, II serie, Sezione Scienze della Vita, 16. SABELLA G. SPARACIO I., 2004 - Il ruolo dei Parchi siciliani nella conservazione dei taxa di insetti di particolare interesse naturalistico (Insecta Coleoptera et Lepidoptera Rhopalocera) - Il Naturalista siciliano, Palermo, S. IV, 28 (1): 477-508. TURRISI G.F., 1999a - Xyelidae, Aulacidae, Heloridae e Masaridae, quattro famiglie nuove per la fauna siciliana (Insecta Hymenoptera) - Bollettino della Società Entomologica Italiana, 131 (1): 41-46. TURRISI G.F., 1999b - Contributo alla conoscenza dei Mutillidae di Sicilia (Hymenoptera Aculeata Scolioidea) - Bollettino dell'Accademia Gioenia Scienze Naturali, Catania, 31 (354)

(1998): 119-155. TURRISI G.F. & VACCARO A., 1998 - Contributo alla conoscenza degli Anfibi e dei Rettili di Sicilia - Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania, 30 (353) (1997): 5-88. TURRISI G.F. & VACCARO A., 2004 - Anfibi e Rettili del Monte Etna (Sicilia orientale) - Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania, 36 (363) (2003): 5-103.

4.4.1 Link(s)

4.4.2 Last update of the documentation information

202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization

No information provided

5.1.2 Contact point in the organisation (optional)

No information provided

5.1.3 Postal address

No information provided

5.1.4 Functional mailbox email address

No information provided

5.1.5 Website with contact information

No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)

Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione approvato con prescrizione Monte Etna decreto n. 670 del 30/06/2009			Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource
---------------	---------------------------------

Further explanations on detailed conservation measures

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)