NATURA 2000 - STANDARD DATA FORM

DRAFT exported from Reportnet 3 - [20/01/2026]
Piano dei Grilli (ITA070018 - SPA/SCI)

Table of contents

1.Site identification 2.Site location 3.Ecological information 4.Site description 5.Site protection status 6.Site management 7.Map of the site

1. Site identification

1.1 Site type
C

1.2 Site code
ITA070018

1.3 Site name
Piano dei Grilli

1.3.1 Site name non-latin alphabet (optional)

1.4 Respondent

1.4.1 Name of the organisation
Regione Siciliana Ass.to Territorio e Ambiente Servizio 4°

1.4.2 Contact point in the organisation (optional)

1.4.3 Postal address
Via Ugo La Malfa 169 - 90146 Palermo

1.4.4 Functional mailbox email address

1.4.5 Website with contact information

1.5 Site classification/proposal/designation dates

1.5.1 Date site first classified as SPA
1998-12

1.5.2 SPA classification act (URI)

1.5.2 SPA classification act (free text)
Decreto Assessore Ambiente 21 febbraio 2005

1.5.3 Date site first proposed as SCI
1995-09

Date confirmed as SCI
populated by EEA on behalf of the European Commision

1.5.4 Date site designated as SAC
2017-03

1.5.5 SAC designation act (URI)
https://www.gazzettaufficiale.it/eli/gu/2017/04/21/93/sg/pdf

1.5.5 SAC designation act (free text)
DM 31/03/2017 - G.U. 93 del 21-4-2017

1.5.6 Explanations (optional)

2. Site location

2.1 Location calculated by the European Environment Agency

Longitude
calculated by the EEA after release in Reportnet 3

Latitude
calculated by the EEA after release in Reportnet 3

2.1.1 Area (ha) **2.1.2 Reason for area difference with spatial dataset (if any)**

1239

2.1.3 Reason for area difference – explanations

2.2 Administrative region (optional)

2.2.1 Administrative region code	2.2.2 Administrative region name
ITG1	SICILIA

2.3 Biogeographical and marine regions

2.3.1 Region code	2.3.2 Percentage	Fully marine SCI/SAC (100 %) must be attributed to a biogeographical
Mediterranean	100	Mediterranean

3. Ecological information

3.1 Habitat types of Annex I of council directive 92/43/EEC present on the site

3.1.a Essential information (habitat type)

Annex I habitat types							
3.1.1		3.1.2	3.1.3	3.1.4	3.1.5	3.1.6	3.1.7
Code	Name	Priority form	Not present	Cover [ha]	Caves [number]	Method cover	Last data collection
4090	Endemic oro-Mediterranean heaths with gorse	No		76.41		limited	
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	No		594.14		limited	
8130	Western Mediterranean and thermophilous scree	No		0.1		limited	
8320	Fields of lava and natural excavations	No		87.35		limited	
91AA	Eastern white oak woods	No		174.17		limited	
9260	Castanea sativa woods	No		0.84		veryLimited	
9340	Quercus ilex and Quercus rotundifolia forests	No		34.39		limited	
9530	(Sub-) Mediterranean pine forests with endemic black pines	No		31.11		limited	

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.
Not Present: Indicates whether the habitat type is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).
Cover: Shows the size of habitat type as decimal values.
Caves: For habitat types 8310 and 8330 (caves), the number of caves can be entered when a surface area is not available or appropriate.
Method used for cover: Method used for cover: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; insufficient = insufficient or no data available
Last data collection: Date or period of the last data collection.

3.1.b Site assessment (habitat type)

3.1.1		3.1.2	3.1.8	3.1.9	3.1.10	3.1.12.1	3.1.12.2	3.1.12.3	3.1.13	3.1.14	3.1.15	3.1.16
Code	Name	Priority form	Significance	Representativity	Relative surface	Conservation	Conservation area	Conservation method	Conservation objectives	Objectives further explanation	Global	Update date
4090	Endemic oro-Mediterranean heaths with gorse	No	significant	B	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B					B	202412
6220	Pseudo-steppe with grasses and annuals of the Thero-Brachypodietea	No	significant	A	C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	A					A	202512

8130	Western Mediterranean and thermophilous scree	No	significant	A		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B				B	202512
8320	Fields of lava and natural excavations	No	significant	B		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B				B	202412

91AA	Eastern white oak woods	No	significant	B		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B			B	202412
9260	Castanea sativa woods	No	non-significant								202412
9340	Quercus ilex and Quercus rotundifolia forests	No	significant	C		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	B			C	202412

9530	(Sub-) Mediterranean pine forests with endemic black pines	No	significant	C		C Calcolata come rapporto tra il valore di F_3_1_4_habitat_cover e la superficie complessiva nazionale riportata nel V Rapporto ai sensi dell'articolo 17	C			C	202412

Priority Form: For habitat types 6210, 7130, 9430 priority depends on the habitat characteristics. Indicated as Yes/No.
Significance: Indicates if the occurrence is significant or not.
Representativity: Degree of representativity of the habitat type on the site: A = excellent; B = good; C = significant
Relative Surface: Area of the site covered by the habitat type in relation to the total area covered by that habitat type within the national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.
Conservation: Degree of conservation: A = excellent (nearly all of the habitat area in good condition); B = good (most of the habitat area in good condition); C = reduced (most of the habitat area in not good condition); X = unknown (most or all of the habitat area in unknown condition).
Conservation area: Area of conservation degree categories in good (A + B), not good (C), unknown (X) conditions as hectare values.
Conservation method: Method used for degree of conservation: complete = Complete survey or statistically robust estimate in hectares (for example taken from mapping in management plans); limited = Based mainly on extrapolation from a limited amount of data (expert judgement); veryLimited = Based mainly on expert opinion with very limited data (based on partial mapping data); insufficient = Insufficient or no data available.
Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the habitat type's surface area and its good condition; enlarge = Enlarge the area of the habitat type; improve = Improve the habitat type condition; reestablish = Re-establish the habitat type; other = Other.
Global: Global assessment of the habitat type in the site: A = excellent; B = good; C = significant.
Updated date: Date or period of the last update.

3.2 Species referred to in Article 4 of Directive 2009/147/EC and species listed in Annex II to Directive 92/43/EEC present on the site

3.2.a Essential information (species)

Species	Population in the site

3.2.1	3.2.2		3.2.4	3.2.5	3.2.6	3.2.7.1	3.2.7.1	3.2.7.2	3.2.8	3.2.9	3.2.10
Group	Code	Scientific name	Sensitive	Not present	Type	Size min	Size max	Unit	Abundance	Mehod Populaton size	Last data collection
B	A413	Alectoris graeca whitakeri			p				C	insufficient	
B	A255	Anthus campestris			c				P	insufficient	
B	A091	Aquila chrysaetos			p				P	insufficient	
B	A224	Caprimulgus europaeus			r				R	insufficient	
B	A081	Circus aeruginosus			c				P	insufficient	
B	A084	Circus pygargus			c				P	insufficient	
B	A101	Falco biarmicus			p	1	1	p		limited	
B	A103	Falco peregrinus			p	1	1	p		limited	
B	A246	Lullula arborea			p				R	insufficient	
B	A073	Milvus migrans			c				P	insufficient	
B	A072	Pernis apivorus			c				P	insufficient	
B	A155	Scolopax rusticola			c				C	insufficient	
B	A283	Turdus merula			p				C	insufficient	

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Sensitive: Species indicated with “true” are classified as sensitive.
Not Present: Indicates whether the species is no longer present (noLongerPresent) on the site, or its re-establishment is planned (reEstablishment).
Type: Population type of species in the site: p = Permanent: to be found throughout the year on the site (non-migratory species, plants, resident population of migratory species); r = Reproducing: uses the site to raise young (e.g. breeding, nesting); c = Concentration: site used for staging or roosting or migration stop/over or for moulting outside the breeding grounds and excluding wintering; w = Wintering: uses the site during the winter.
Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.
Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.
Method Population size: Method used for population size: complete = complete survey or a statistically robust estimate; limited = based mainly on extrapolation from a limited amount of data; veryLimited = Based mainly on expert opinion with very limited data; insufficient = insufficient or no data available.
Last data collection: Date or period of the last data collection.

3.2.b Site assessment (species)

3.2.1 Group	3.2.2 Code	3.2.3 Scientific Name	3.2.6 Type	3.2.11 Significance	3.2.12 SPA classification	3.2.13 Population	3.2.14 Population further explanation	3.2.15 Conservation	3.2.15.2 Conservation occupied % area (optional)	3.2.15.3 Conservation occupied % class	3.2.16 Conservation objectives	3.2.17 Objetives further explanation	3.2.18 Isolation	3.2.19 Global	3.2.20 Update date
B	A413	Alectoris graeca whitakeri	p	significant		A4		A					A	A	202512
B	A255	Anthus campestris	c	significant		C		B					C	C	202412
B	A091	Aquila chrysaetos	p	significant		C		B					B	A	202412
B	A224	Caprimulgus europaeus	r	significant		C		B					A	C	202412
B	A081	Circus aeruginosus	c	significant		C		B					C	C	202412
B	A084	Circus pygargus	c	significant		C		B					C	C	202412
B	A101	Falco biarmicus	p	significant		C		B					C	C	202412
B	A103	Falco peregrinus	p	significant		C		B					C	A	202412
B	A246	Lullula arborea	p	significant		C		B					C	C	202412
B	A073	Milvus migrans	c	significant		C		B					C	C	202412
B	A072	Pernis apivorus	c	significant		C		B					C	B	202412
B	A155	Scolopax rusticola	c	significant		C		A					C	B	202412
B	A283	Turdus merula	p	significant		C		B					C	C	202412

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Significance: Indicates if the occurrence is significant or not.
SPA classification: AIndicate if the bird species met the ornithological criteria used to justify SPA classification.
Population: Size and density of the population of the species present on the site in relation to the populations present within national territory, assigned to following percentage classes: A1 = 75-100%; A2 = 50-75%; A3 = 25-50%; A4 = 15-25%; B = 2-15%; C = smaller than 2%.
Conservation: Degree of conservation: A = excellent (nearly all of the habitat occupied by the species has sufficient quality); B = good (most of the habitat occupied by the species has sufficient quality); C = reduced (most of the habitat occupied by the species has non-sufficient quality); X = unknown (most of the habitat occupied by the species has unknown quality).
Conservation objectives: prevent = Prevent deterioration; maintain = Maintain the extent and good quality of the habitat of the species and the population size; enlarge = Enlarge area of the habitat of the species; improve = Improve the quality of the habitat of the species (considering also disturbance and mortality factors); reestablish = Re-establish habitat for the species; increase = Increase the population size; reduce = Reduce pressure on the population (e.g. reduce mortality or disturbance); reestablishPopulation = Re-establish the population at the site; other = Other.
Isolation: Degree of isolation: A = population (almost) isolated, B = population not-isolated, but on the margins of are of distribution, C = population not-isolated within extended distribution range.
Global: Global assessment of the species in the site: A = excellent; B = good; C = significant.
Global: Date or period of the last update.

3.3 Other important species of flora and fauna (optional)

3.3.1 Group	3.3.2 Code	3.3.3 Scientific name	3.3.4 Sensitive	3.3.5 Not present	3.3.6.1 Size min	3.3.6.1 Size max	3.3.6.2 Population unit	3.3.7 Abundance
B		Aegithalos caudatus siculus		no				V
B	A221	Asio otus		no				P
I		Adscita alpina italica		no				V
I		Agrilus albomarginatus		no				R
I		Agrilus globulifrons		no				R
I		Allochernes aetnaeus		no				R
I		Attalus aetnensis		no				P
I		Belomicrus italicus		no				R

I	Bembix oculata	no	C
I	Bembix rostrata	no	C
I	Biareolina lagopus	no	R
I	Chrysantia viridissima	no	R
I	Ebaeus ruffoi Pardo	no	R
I	Ectemnius massiliensis	no	R
I	Ectemnius meridionalis	no	R
I	Glyptobothrus messinai	no	P
I	Gryllomorphella uclensis	no	R
I	Hipparchia hermione	no	R
I	Isomira genistae	no	P
I	Melitta tricincta	no	R
I	Metropis nebrodensis	no	R
I	Nomada striata	no	R
I	Osmia submicans hebraea	no	R
I	Palmodes occitanicus	no	R
I	Phyllodromica tyrrhenica	no	R
I	Prionyx subfuscatus	no	R
I	Psammaecius punctulatus	no	R
I	Pyganthophora retusa	no	C

I		Sphecodes albilabris albilabris	no	R
I		Sphecodes pellucidus	no	R
I		Tachysphex julliani	no	R
M	1363	Felis silvestris	no	P
M	1344	Hystrix cristata	no	P
M		Lepus corsicanus	no	P
P		Arrhenatherum nebrodense	no	R
P		Centaurea parlatoris	no	R
P		Euphorbia rigida	no	R
P		Genista aetnensis	no	R
P		Linaria purpurea	no	R
P		Molineriella minuta	no	R
P		Quercus congesta	no	C
P		Senecio ambiguus	no	R
R		Chalcides c. chalcides	no	V
R	1274	Chalcides ocellatus	no	C
R	1283	Coronella austriaca	no	C
R	5670	Hierophis viridiflavus	no	C
R	1263	Lacerta viridis	no	C
R	1250	Podarcis siculus	no	C
R		Vipera aspis	no	R
R	5369	Zamenis lineatus	no	R

Group: The taxonomic group to which the species belongs: A = Amphibians; B = Birds; F = Fish; Fu = Fungi; I = Invertebrates; L = Lichens; M = Mammals; P = Plants including bryophytes and algae; R = Reptiles.
Code: For Birds, Annex II, IV and V species the code from the official code list as provided in the reference portal..
Sensitive: Species indicated with “true” are classified as sensitive.
Not present: Indicates whether the species is no longer present (noLongerPresent) on the site.
Unit: The unit of population size values, the standard is i = individuals, p = pairs. For exceptions see reference portal.
Abundance: Abundance category to be provided if no number of population size is available: C = Common; R = Rare, V = Very rare; P = Present.

3.3.8 Motivation

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Adscita alpina italica															X
	Aegithalos caudatus siculus										X					
	Agrilus albomarginatus															X
	Agrilus globulifrons										X					
	Allochernes aetnaeus										X					
	Arrhenatherum nebrodense										X					
A221	Asio otus					X						X				
	Attalus aetnensis										X					
	Belomicrus italicus															X
	Bembix oculata															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Bembix rostrata															X
	Biareolina lagopus															X
	Centaurea parlatoris										X					
	Chalcides c. chalcides											X				
1274	Chalcides ocellatus		X													
	Chrysantia viridissima															X
1283	Coronella austriaca		X													
	Ebaeus ruffoi Pardo										X					
	Ectemnius massiliensis															X
	Ectemnius meridionalis															X
	Euphorbia rigida															X
1363	Felis silvestris		X													
	Genista aetnensis										X					

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Glyptobothrus messinai										X					
	Gryllomorphella uclensis															X
5670	Hierophis viridiflavus		X													
	Hipparchia hermione															X
1344	Hystrix cristata		X													
	Isomira genistae															X
1263	Lacerta viridis		X													
	Lepus corsicanus										X					
	Linaria purpurea															X
	Melitta tricincta															X
	Metropis nebrodensis										X					
	Molineriella minuta															X
	Nomada striata															X
	Osmia submicans hebraea															X

Code	Name	H.D. Annex II	H.D. Annex IV	H.D. Annex V	B.D. Annex I	Migrat. birds	CFP prohib.	National red list	EU red list	Global red list	Endemic species	Int. conv.	H.D. Annex I	CWR/ FRG	IAS Union	Other reason
	Palmodes occitanicus															X
	Phyllodromica tyrrhenica										X					
1250	Podarcis siculus		X													
	Prionyx subfuscatus															X
	Psammaecius punctulatus															X
	Pyganthophora retusa															X
	Quercus congesta										X					
	Senecio ambiguus							X								
	Sphecodes albilabris albilabris															X
	Sphecodes pellucidus															X
	Tachysphex julliani															X
	Vipera aspis											X				
5369	Zamenis lineatus		X													

Motivation: The motivation for listing additional species:H.D. Annex II = Species of Annex II Habitats Directive in SPA; H.D. Annex IV = Species of Annex IV Habitats Directive; H.D. Annex V = Species of Annex V Habitats Directive; B.D. Annex I = Bird species of Annex I Birds Directive in a pSCI, SCI, SAC; Migratory birds = Migratory bird species in a pSCI, SCI, SAC; CFP prohib. = Prohibited species of Annex I of the Technical Measures Regulation under the common fisheries policy (EU Regulation 2019/1241); Int conv. = Species listed/protected under international Conventions; H.D. Annex I = Typical species of Annex I habitat types; CWR/FRG = Crop Wild Relatives (CWR) / Forest Genetic Resources (FGR); IAS Union = Invasive alien species of Union concern (EU Regulation 1143/2014 on invasive alien species).

4. Site description

4.1 Site characteristics

La zona in esame è ubicata sul versante occidentale dell'Etna a quote comprese fra i 700 e i 1400 m. Si tratta di un'area interessata da antiche colate attualmente ricoperte da estesi boschi a quercie caducifoglie e leccete. Sui substrati più rocciosi, rappresentati da colate più recenti, si rinvengono aspetti a piccoli arbusti a copertura più o meno discontinua in cui dominano Helichrysum italicum e Centranthus ruber, oppure Euphorbia rigida. Nei tratti più pianeggianti o con suoli più superficiali, sono presenti praticelli effimeri steppici in cui dominano terofite e geofite. Le stazioni a quote più basse sono interessate da coltivi o ex-coltivi. Il bioclima è compreso tra il mesomediterraneo e il supramediterraneo con ombrotipo che va dal subumido inferiore al subumido superiore.

4.2 Quality and importance of the site

Il sito presenta un'alternanza di campi lavici ed accumuli di sabbie vulcaniche su cui si insedia la Genista aetnensis. L'area in oggetto presenta un notevole interesse naturalistico soprattutto per l'estesa copertura di formazioni forestali sia a caducifoglie che sempreverdi. La fauna, sebbene non molto ricca e diversificata, annovera specie di notevole interesse scientifico e conservazionistico, soprattutto per quanto riguarda alcune specie di Rapaci. Di un certo interesse è anche l'entomofauna con specie che in Sicilia sono spesso localizzate soltanto sull'Etna.

4.3 Pressures on the site

4.3.1 Pressure code	4.3.2 Rank	4.3.3 Location	4.3.4 Further details

Pressure code: Pressure code

Rank: Relative importance of a pressure in the categories high, medium, low.

Location: Indicates where the pressure in located: in = within the site; out = outside of the site; inout = within and outside of the site.

4.3.5 Last update of the information on the preassures on the site

202412

4.4 Documentation

BELLA S., RUSSO P. & PARENZAN P., 1996 - Contributi alla conoscenza della Lepidotterofauna siciliana III. Bombici e Sfingi - Phytophaga, 6: 85-109.BRUNO S., 1970 - Anfibi e Rettili di Sicilia (Studi sulla Fauna Erpetologica Italiana.XI) - Atti dell'Accademia Gioenia di Scienze Naturali, Catania, serie VII, 2: 185-326.LO VALVO F. & LONGO A.M., 2001 - Anfibi e Rettili in Sicilia - WWF Sicilia, Palermo, 85 pp.LO VALVO F., 1998 - Status e conservazione dell'erpetofauna siciliana - Il Naturalista siciliano, S. IV, 22 (1-2): 53-71.LO VALVO M., MASSA B. & SARÀ M. (red.), 1993 - Uccelli e paesaggio in Sicilia alle soglie del terzo millennio - Il Naturalista siciliano, 17 (suppl.): 1-371.MASSA B., LO VALVO M. & CATALISANO A., 1989 - Bird communities on Mount Etna (Italy, Sicily) - Bollettino di Zoologia, 56: 348-356.NOBILE V. & CAMPADELLI G., 1998 - Il genere Sphecodes Latreille, 1804 in Italia (Hymenoptera, Apoidea, Halictidae) - Bollettino dell'Istituto di Entomologia "G. Grandi", Università di Bologna, 52: 85-103.NOBILE V. & TOMARCHIO S., 1998 - Contributo alla conoscenza degli Apoidei di Sicilia. XIV. La famiglia Melittidae (Insecta, Hymenoptera) - Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania, 30 (353) (1997): 285-290. NOBILE V., 1988 - Contributo alla conoscenza degli Apoidei (Insecta, Hymenoptera) di Sicilia. I. I generi Habropoda Smith, Tetralonia Spinola (gruppo ruficornis F.), Melecta Latreille, Eupavlovskia Popov e Thyreus Panzer - Animalia, 14 (1987): 73-89. NOBILE V., 1989 - Contributo alla conoscenza degli Apoidei (Insecta, Hymenoptera) di Sicilia. II. Il genere Osmia Panzer 1806 - Animalia, 15 (1988): 159-173.NOBILE V., 1990 - Il genere Anthidium Fabricius 1804 e affini (Hymenoptera, Apoidea, Megachilidae) in Sicilia, con descrizione di Pseudoanthidium alpinum gregoriense subsp. n. - Animalia, 16 (1989): 131-145. NOBILE V., 1991 - Contributo alla conoscenza delle Api parassite (Insecta Hymenoptera) di Sicilia. II. Il genere Nomada Scopoli 1770, con descrizione di una nuova specie - Animalia, 17 (1990): 219-243.NOBILE V., 1992 - Contributo alla conoscenza delle Api solitarie (Insecta, Hymenoptera) di Sicilia. IV. La tribù Anthophorini Dahlbom 1835 - Animalia, 18 (1991): 237-259. POLI MARCHESE & PATTI G., 2000 - Carta della vegetazione dell'Etna - Firenze.SABELLA G. & SPARACIO I., 2004. - Il ruolo dei Parchi siciliani nella conservazione dei taxa di insetti di particolare interesse naturalistico (Insecta Coleoptera et Lepidoptera Rhopalocera) - Il Naturalista siciliano, S. IV, 28 (1): 477-508. TURRISI G.F. & VACCARO A., 1998 - Contributo alla conoscenza degli Anfibi e dei Rettili di Sicilia - Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania, 30 (353) (1997): 5-88.TURRISI G.F. & VACCARO A., 2004 - Anfibi e Rettili del Monte Etna (Sicilia orientale) - Bollettino dell'Accademia Gioenia di Scienze Naturali, Catania, 36 (363) (2003): 5-103.

4.4.1 Link(s)

4.4.2 Last update of the documentation information
202412

5. Site management

5.1 Body responsible for the site management

5.1.1 Name of the organization
Parco Regionale dell'Etna

5.1.2 Contact point in the organisation (optional)
No information provided

5.1.3 Postal address
No information provided

5.1.4 Functional mailbox email address
No information provided

5.1.5 Website with contact information
No information provided

5.2 Management plans

5.2.1 Existence of management plan(s)
Yes

5.2.2 Reference and validity of the management plan(s)

Name of the plan	Link to the plan (URI)	Validity of the plan (start date)	Duration (number of months)
Piano di gestione approvato con prescrizione Monte Etna decreto n. 670 del 30/06/2009			Not undefined

5.2.3 Further explanations

5.3 Conservation measures

5.3.1 Detailed information on measures

Necessary conservation measures are included in the management plan(s)

Necessary conservation measures are described in the following document(s)

5.3.1.b Title	5.3.1.c Link to online resource

Further explanations on detailed conservation measures

5.3.2 Status of conservation measures

Are the necessary measures established?

Are the established measures implemented?

5.4 Management effectiveness

Is the effectiveness of the conservation measures periodically assessed?

Further explanations on detailed conservation measures

6. Geospatial representation of the site

6.1 INSPIRE identifier

6.1.1 Namespace

6.1.2 Local identifier

6.1.3 Version identifier (optional)